



INTELLIGENT FACILITY SOLUTIONS

Electric Works, 3 Concourse Way

Sheffield, S1 2BJ, United Kingdom

Phone UK: +44 (0) 114 354 0047

Phone Eire: +353 190 36387

[sales@ihdryers.co.uk](mailto:sales@ihdryers.co.uk)

<https://www.intelligenthanddryers.com/>

# Jetstream Blade

1.9 kW Automatic Hand Dryer  
Energy Efficient



p. 60



## Usage

Suitable for many public washroom applications including restaurants, shops and shopping centres, office buildings, pubs, motorway services, factories and supermarkets.

## Features and Benefits

- High speed giving fast drying times
- Saves energy relative to traditional hand dryers from reduced drying times
- Modern stylish design
- Automatic double side blades
- Hygienic automatic operation reduces the risk of spreading germs
- 2 power output settings 800 and 1900 W provide a low power rating option to increase energy efficiency
- 'Auto heating' setting allows energy saving by automatically switching off the element if the ambient temperature is above 25°C (automatic/all time heating)
- **Blue Dry Zone** LED indicator gives visible indication to ensure hands are placed in the warm air stream
- Dust filter and drip tray

Product Code	Finish	Power (kW)	Sound Level (dB)	Dry Time (seconds)	Air Speed (m/s)
JETB190W	White	1.9	70	10	90

**Outer Casing**

Easy clean high impact ABS

**Heating Element**

1100 W (on/off setting)

**Motor**

800 W  
Carbon Brush  
25,000 RPM

**Current**

8 amps

**Air Speed**

90 m/s

**Operation**

Touch free automatic.

**Safety**

Overheat temperature protection.

Safety timer prevents continuous running.

**IP Rating**

IPX1

**Installation**

Full fixing pack supplied.  
Cable entry to the left of the unit.

**LED Display**

The hand dryer will display the current temperature of the room when in standby mode.

When operated a 10 second countdown will be displayed.

**Electrical Connection**

Installation must comply with current IEE Regulations.

Cable pre-wired (1.2m).

The product should be connected to the fixed wiring of the property via a double pole fused spur with a minimum break capacity of 13 amps.

Class I

**Approvals**

CE

**Standard Warranty**

1 year parts or replacement warranty.

Product Code	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
JETB190W	687	300	225	10.8